

Roza Irrigation District
125 South 13th Street Sunnyside, WA 98944
Phone: (509) 837-5141 Fax: (509) 836-4807

Notification of Aquatic Herbicide Treatments

WAG-991008A

Roza Lateral Treatment Sites

| Application Date | Treatment Site | Location Description | Herbicide |
|------------------------|----------------|-----------------------|----------------|
| Wednesday May 17, 2023 | Pump 1H HW | 46.667264 -120.469698 | Copper Sulfate |
| Wednesday May 17, 2023 | Pump 1H-3 | 46.682631 -120.449888 | Copper Sulfate |
| Wednesday May 17, 2023 | Pump 1H #18b | 46.692400 -120.453429 | Copper Sulfate |
| Wednesday May 17, 2023 | Pump 1L HW | 46.667267 -120.469701 | Copper Sulfate |
| Wednesday May 17, 2023 | Pump 1L #8 | 46.683133 -120.460314 | Copper Sulfate |
| Wednesday May 17, 2023 | Pump 2HR HW | 46.591795 -120.379874 | Copper Sulfate |
| Wednesday May 17, 2023 | Pump 2HR #8 | 46.582686 -120.355799 | Copper Sulfate |
| Wednesday May 17, 2023 | Pump 2HL HW | 46.591824 -120.379940 | Copper Sulfate |
| Wednesday May 17, 2023 | Pump 2HL #8C | 46.601691 -120.395447 | Copper Sulfate |
| Wednesday May 17, 2023 | Pump 2LR HW | 46.585096 -120.384633 | Copper Sulfate |
| Wednesday May 17, 2023 | Pump 2LR #8 | 46.576820 -120.366757 | Copper Sulfate |
| Wednesday May 17, 2023 | Pump 2LL HW | 46.585130 -120.384733 | Copper Sulfate |
| Wednesday May 17, 2023 | Pump 2LL #7 | 46.591726 -120.395308 | Copper Sulfate |
| Wednesday May 17, 2023 | Pump 3HR HW | 46.546868 -120.290593 | Copper Sulfate |
| Wednesday May 17, 2023 | Pump 3HR #9 | 46.534541 -120.262788 | Copper Sulfate |
| Wednesday May 17, 2023 | Pump 3HL HW | 46.546908 -120.290592 | Copper Sulfate |
| Wednesday May 17, 2023 | Pump 3LR HW | 46.545225 -120.302357 | Copper Sulfate |